

Superkingdom	GC Content	Type	Functional group	% in proteins
Archaea	Low	disord	Isp	5.80
			Cp	4.87
			Me	1.82
			Pc	2.36
			N.C.	6.86
		order	Isp	59.40
			Cp	66.91
			Me	70.63
			Pc	70.08
			N.C.	65.82
	Medium	disord	Isp	6.27
			Cp	5.09
			Me	1.89
			Pc	3.83
			N.C.	6.25
		order	Isp	59.79
			Cp	65.61
			Me	71.26
			Pc	66.92
			N.C.	62.23
	High	disord	Isp	16.97
			Cp	16.56
			Me	9.00
			Pc	10.91
			N.C.	17.48
		order	Isp	42.56
			Cp	47.32
			Me	56.11
			Pc	54.35
			N.C.	47.00
Bacteria	Low	disord	Isp	6.39
			Cp	9.48
			Me	2.29
			Pc	5.73
			N.C.	15.25
		order	Isp	60.57
			Cp	60.07
			Me	69.33
			Pc	64.75
			N.C.	50.14
	Medium	disord	Isp	6.31
			Cp	7.40
			Me	1.80
			Pc	4.87
			N.C.	10.41
		order	Isp	60.26
			Cp	62.10
			Me	71.29
			Pc	65.56
			N.C.	52.43
	High	disord	Isp	10.39
			Cp	11.06
			Me	3.95
			Pc	7.77
			N.C.	20.02
		order	Isp	56.92
			Cp	59.49
			Me	69.33
			Pc	62.89
			N.C.	46.97