

Superkingdom	Habitat	Type	Functional group	% in proteins
Archaea	Aquatic	disord	Isp	26.64
			Cp	24.31
			Me	18.20
			Pc	20.02
			N.C.	26.73
		order	Isp	73.36
			Cp	75.69
			Me	81.80
			Pc	79.98
			N.C.	73.27
	Host-associated	disord	Isp	23.16
			Cp	19.78
			Me	18.04
			Pc	17.50
			N.C.	23.60
		order	Isp	76.84
			Cp	80.22
			Me	81.96
			Pc	82.50
			N.C.	76.40
	Multiple	disord	Isp	25.55
			Cp	22.14
			Me	17.84
			Pc	22.63
			N.C.	27.91
		order	Isp	74.45
			Cp	77.86
			Me	82.16
			Pc	77.37
			N.C.	72.09
	Specialized	disord	Isp	24.69
			Cp	19.78
			Me	16.26
			Pc	18.00
			N.C.	20.42
		order	Isp	75.31
			Cp	80.22
			Me	83.74
			Pc	82.00
			N.C.	79.58
Bacteria	Aquatic	disord	Isp	25.23
			Cp	22.65
			Me	16.46
			Pc	20.20
			N.C.	30.33
		order	Isp	74.77
			Cp	77.35
			Me	83.54
			Pc	79.80
			N.C.	69.67
	Host-associated	disord	Isp	22.85
			Cp	22.52
			Me	15.14
			Pc	19.86
			N.C.	30.38
		order	Isp	77.15
			Cp	77.48
			Me	84.86
			Pc	80.14
			N.C.	69.62
	Multiple	disord	Isp	24.62
			Cp	23.77
			Me	16.45
			Pc	20.78
			N.C.	30.78
		order	Isp	75.38
			Cp	76.23
			Me	83.55
			Pc	79.22
			N.C.	69.22
	Specialized	disord	Isp	25.90
			Cp	23.41

Superkingdom	Habitat	Type	Functional group	% in proteins
Bacteria	Specialized	disord	Me	17.11
			Pc	20.47
			N.C.	28.71
		order	Isp	74.10
			Cp	76.59
			Me	82.89
			Pc	79.53
			N.C.	71.29
	Terrestrial	disord	Isp	24.56
			Cp	23.74
			Me	16.74
			Pc	20.93
			N.C.	35.00
		order	Isp	75.44
			Cp	76.26
			Me	83.26
			Pc	79.07
			N.C.	65.00