

Superkingdom	Habitat	Type	Functional group	% in proteins
Archaea	Aquatic	disord	Isp	19.60
			Cp	17.78
			Me	11.49
			Pc	13.13
			N.C.	19.26
		order	Isp	71.76
			Cp	74.34
			Me	80.62
			Pc	78.77
			N.C.	71.92
	Host-associated	disord	Isp	15.67
			Cp	13.24
			Me	10.70
			Pc	10.55
			N.C.	17.52
		order	Isp	75.30
			Cp	79.04
			Me	80.60
			Pc	81.34
			N.C.	75.16
	Multiple	disord	Isp	18.41
			Cp	15.30
			Me	10.85
			Pc	15.58
			N.C.	19.98
		order	Isp	73.11
			Cp	76.56
			Me	81.13
			Pc	76.02
			N.C.	70.64
	Specialized	disord	Isp	17.30
			Cp	13.14
			Me	9.48
			Pc	10.92
			N.C.	13.25
		order	Isp	73.84
			Cp	79.09
			Me	82.73
			Pc	80.82
			N.C.	78.53
Bacteria	Aquatic	disord	Isp	18.35
			Cp	16.28
			Me	9.75
			Pc	13.30
			N.C.	22.91
		order	Isp	73.32
			Cp	76.15
			Me	82.51
			Pc	78.65
			N.C.	68.15
	Host-associated	disord	Isp	15.72
			Cp	16.04
			Me	8.41
			Pc	12.98
			N.C.	23.15
		order	Isp	75.77
			Cp	76.27
			Me	83.92
			Pc	79.02
			N.C.	68.18
	Multiple	disord	Isp	17.70
			Cp	17.44
			Me	9.86
			Pc	13.95
			N.C.	23.60
		order	Isp	74.01
			Cp	74.97
			Me	82.56
			Pc	78.06
			N.C.	67.77
	Specialized	disord	Isp	19.06
			Cp	17.03

Superkingdom	Habitat	Type	Functional group	% in proteins
Bacteria	Specialized	disord	Me	10.38
			Pc	13.56
			N.C.	21.20
		order	Isp	72.64
			Cp	75.33
			Me	81.82
			Pc	78.32
			N.C.	69.85
	Terrestrial	disord	Isp	17.59
			Cp	17.47
			Me	10.21
			Pc	14.08
			N.C.	28.09
		order	Isp	74.11
			Cp	75.06
			Me	82.28
			Pc	77.92
			N.C.	63.60