

Superkingdom	Habitat	Gc Content	Functional group	Type	% in proteins
Archaea	Aquatic	Low	Cp	disord	20.46
				order	79.54
			Isp	disord	23.58
				order	76.42
			Me	disord	15.82
				order	84.18
			N.C.	disord	20.98
				order	79.02
			Pc	disord	16.77
				order	83.23
		Medium	Cp	disord	18.85
				order	81.15
			Isp	disord	22.38
				order	77.62
			Me	disord	14.57
				order	85.43
			N.C.	disord	21.46
				order	78.54
			Pc	disord	17.34
				order	82.66
		High	Cp	disord	37.15
				order	62.85
			Isp	disord	40.48
				order	59.52
			Me	disord	28.98
				order	71.02
			N.C.	disord	41.47
				order	58.53
			Pc	disord	31.08
				order	68.92
	Host-associated	Low	Cp	disord	19.78
				order	80.22
			Isp	disord	23.16
				order	76.84
			Me	disord	18.04
				order	81.96
			N.C.	disord	23.60
				order	76.40
			Pc	disord	17.50
				order	82.50
	Multiple	Medium	Cp	disord	22.14
				order	77.86
			Isp	disord	25.55
				order	74.45
			Me	disord	17.84
				order	82.16
			N.C.	disord	27.91
				order	72.09
			Pc	disord	22.63
				order	77.37
	Specialized	Low	Cp	disord	13.29
				order	86.71
			Isp	disord	19.57
				order	80.43
			Me	disord	12.76
				order	87.24
			N.C.	disord	17.32
				order	82.68
			Pc	disord	13.95
				order	86.05
		Medium	Cp	disord	16.93
				order	83.07
			Isp	disord	21.98
				order	78.02
			Me	disord	14.23
				order	85.77

Superkingdom	Habitat	Gc Content	Functional group	Type	% in proteins
Archaea	Specialized	Medium	Me	order	85.77
			N.C.	disord	17.93
				order	82.07
			Pc	disord	15.50
				order	84.50
		High	Cp	disord	29.27
				order	70.73
			Isp	disord	33.42
				order	66.58
			Me	disord	23.79
				order	76.21
			N.C.	disord	28.10
				order	71.90
			Pc	disord	25.84
				order	74.16
Bacteria	Aquatic	Low	Cp	disord	21.62
				order	78.38
			Isp	disord	25.43
				order	74.57
			Me	disord	17.12
				order	82.88
			N.C.	disord	27.54
				order	72.46
		Medium	Pc	disord	18.77
				order	81.23
			Cp	disord	22.37
				order	77.63
			Isp	disord	24.66
				order	75.34
			Me	disord	16.06
				order	83.94
			N.C.	disord	29.75
				order	70.25
			Pc	disord	19.85
				order	80.15
		High	Cp	disord	23.73
				order	76.27
			Isp	disord	26.99
				order	73.01
			Me	disord	17.33
				order	82.67
			N.C.	disord	32.99
				order	67.01
			Pc	disord	21.63
				order	78.37
	Host-associated	Low	Cp	disord	24.46
				order	75.54
			Isp	disord	22.15
				order	77.85
			Me	disord	15.57
				order	84.43
			N.C.	disord	32.26
				order	67.74
		Medium	Pc	disord	19.81
				order	80.19
			Cp	disord	20.98
				order	79.02
			Isp	disord	21.96
				order	78.04
			Me	disord	14.14
				order	85.86
			N.C.	disord	27.34
				order	72.66
			Pc	disord	18.90
				order	81.10

Superkingdom	Habitat	Gc Content	Functional group	Type	% in proteins		
Bacteria	Host-associated	High	Cp	disord	25.69		
				order	74.31		
			Isp	disord	26.57		
				order	73.43		
			Me	disord	17.30		
				order	82.70		
			N.C.	disord	37.06		
				order	62.94		
			Pc	disord	22.29		
				order	77.71		
			Multiple	Low	Cp	disord	22.61
		order				77.39	
		Isp			disord	22.80	
	order				77.20		
	Me	disord			16.48		
		order			83.52		
	N.C.	disord			26.91		
		order			73.09		
	Pc	disord			19.78		
		order			80.22		
	Medium	Cp			disord	22.22	
					order	77.78	
		Isp			disord	22.85	
					order	77.15	
		Me			disord	15.14	
					order	84.86	
		N.C.			disord	27.66	
					order	72.34	
	Pc	disord			19.14		
		order			80.86		
	High	Cp			disord	26.07	
					order	73.93	
		Isp			disord	27.43	
					order	72.57	
		Me		disord	18.04		
				order	81.96		
		N.C.		disord	34.87		
				order	65.13		
		Pc		disord	23.08		
				order	76.92		
		Specialized		Low	Cp	disord	12.92
	order					87.08	
	Isp				disord	14.57	
					order	85.43	
	Me				disord	10.03	
					order	89.97	
	N.C.				disord	15.88	
					order	84.12	
	Pc				disord	11.35	
					order	88.65	
	Medium				Cp	disord	21.16
						order	78.84
				Isp	disord	23.50	
					order	76.50	
				Me	disord	15.39	
					order	84.61	
				N.C.	disord	25.68	
			order		74.32		
	Pc		disord	18.72			
			order	81.28			
	High		Cp	disord	33.23		
				order	66.77		
			Isp	disord	36.24		
				order	63.76		
			Me	disord	23.34		
				order	76.66		

Superkingdom	Habitat	Gc Content	Functional group	Type	% in proteins
Bacteria	Specialized	High	N.C.	disord	37.47
				order	62.53
			Pc	disord	26.75
				order	73.25
	Terrestrial	Medium	Cp	disord	23.20
				order	76.80
			Isp	disord	22.95
				order	77.05
			Me	disord	16.24
				order	83.76
			N.C.	disord	27.50
				order	72.50
			Pc	disord	19.21
				order	80.79
		High	Cp	disord	24.25
				order	75.75
			Isp	disord	26.13
				order	73.87
			Me	disord	17.26
				order	82.74
			N.C.	disord	41.84
				order	58.16
			Pc	disord	22.95
				order	77.05