

Superkingdom	Habitat	Temp range	Functional group	Type	% in proteins
Archaea	Aquatic	Hyperthermophilic	Cp	disord	16.53
				order	83.47
			Isp	disord	21.22
				order	78.78
			Me	disord	13.63
				order	86.37
			N.C.	disord	18.61
				order	81.39
			Pc	disord	14.95
				order	85.05
		Mesophilic	Cp	disord	27.35
				order	72.65
			Isp	disord	29.96
				order	70.04
			Me	disord	21.08
				order	78.92
			N.C.	disord	31.35
				order	68.65
			Pc	disord	23.80
				order	76.20
	Host-associated	Hyperthermophilic	Cp	disord	13.34
				order	86.66
			Isp	disord	18.86
				order	81.14
			Me	disord	12.24
				order	87.76
			N.C.	disord	15.66
				order	84.34
			Pc	disord	14.08
				order	85.92
		Mesophilic	Cp	disord	21.33
				order	78.67
			Isp	disord	26.07
				order	73.93
			Me	disord	18.49
				order	81.51
			N.C.	disord	27.03
				order	72.97
			Pc	disord	18.23
				order	81.77
	Multiple	Mesophilic	Cp	disord	22.14
				order	77.86
			Isp	disord	25.55
				order	74.45
			Me	disord	17.84
				order	82.16
			N.C.	disord	27.91
				order	72.09
			Pc	disord	22.63
				order	77.37
	Specialized	Hyperthermophilic	Cp	disord	16.84
				order	83.16
			Isp	disord	23.87
				order	76.13
			Me	disord	15.30
				order	84.70
			N.C.	disord	19.29
				order	80.71
			Pc	disord	17.65
				order	82.35
		Mesophilic	Cp	disord	37.17
				order	62.83
			Isp	disord	38.42
				order	61.58

Superkingdom	Habitat	Temp range	Functional group	Type	% in proteins
Archaea	Specialized	Mesophilic	Me	disord	28.17
				order	71.83
			N.C.	disord	39.05
				order	60.95
			Pc	disord	28.97
				order	71.03
		Thermophilic	Cp	disord	17.43
				order	82.57
			Isp	disord	22.38
				order	77.62
			Me	disord	14.82
				order	85.18
			N.C.	disord	17.95
				order	82.05
			Pc	disord	15.98
				order	84.02
Bacteria	Aquatic	Hyperthermophilic	Cp	disord	17.01
				order	82.99
			Isp	disord	18.67
				order	81.33
			Me	disord	12.69
				order	87.31
			N.C.	disord	22.41
				order	77.59
			Pc	disord	13.89
				order	86.11
		Mesophilic	Cp	disord	23.02
				order	76.98
			Isp	disord	25.74
				order	74.26
			Me	disord	16.89
				order	83.11
			N.C.	disord	31.27
				order	68.73
			Pc	disord	20.82
				order	79.18
		Psychrophilic	Cp	disord	18.84
				order	81.16
			Isp	disord	21.22
				order	78.78
			Me	disord	14.98
				order	85.02
			N.C.	disord	22.98
				order	77.02
			Pc	disord	14.97
				order	85.03
		Thermophilic	Cp	disord	19.89
				order	80.11
			Isp	disord	22.36
				order	77.64
			Me	disord	13.66
				order	86.34
			N.C.	disord	24.67
				order	75.33
			Pc	disord	16.12
				order	83.88
	Host-associated	Mesophilic	Cp	disord	22.55
				order	77.45
			Isp	disord	22.89
				order	77.11
			Me	disord	15.16
				order	84.84
			N.C.	disord	30.37
				order	69.63
			Pc	disord	19.87
				disord	

Superkingdom	Habitat	Temp range	Functional group	Type	% in proteins
Bacteria	Host-associated	Mesophilic	Pc	order	80.13
	Multiple	Mesophilic	Cp	disord	23.96
				order	76.04
			Isp	disord	24.69
				order	75.31
			Me	disord	16.52
				order	83.48
			N.C.	disord	30.92
				order	69.08
			Pc	disord	20.90
				order	79.10
		Psychrophilic	Cp	disord	22.15
				order	77.85
			Isp	disord	21.45
				order	78.55
			Me	disord	14.37
				order	85.63
			N.C.	disord	23.89
				order	76.11
			Pc	disord	17.68
				order	82.32
		Thermophilic	Cp	disord	23.73
				order	76.27
			Isp	disord	25.88
				order	74.12
			Me	disord	17.48
				order	82.52
			N.C.	disord	33.74
				order	66.26
			Pc	disord	22.33
				order	77.67
	Specialized	Hyperthermophilic	Cp	disord	19.65
				order	80.35
			Isp	disord	23.96
				order	76.04
			Me	disord	15.01
				order	84.99
			N.C.	disord	22.55
				order	77.45
			Pc	disord	17.08
				order	82.92
		Mesophilic	Cp	disord	30.22
				order	69.78
			Isp	disord	30.40
				order	69.60
			Me	disord	21.77
				order	78.23
			N.C.	disord	36.56
				order	63.44
			Pc	disord	25.97
				order	74.03
		Psychrophilic	Cp	disord	21.23
				order	78.77
			Isp	disord	22.33
				order	77.67
			Me	disord	15.37
				order	84.63
			N.C.	disord	25.85
				order	74.15
			Pc	disord	19.15
				order	80.85
		Thermophilic	Cp	disord	22.91
				order	77.09
			Isp	disord	27.96
				order	72.04

Superkingdom	Habitat	Temp range	Functional group	Type	% in proteins
Bacteria	Specialized	Thermophilic	Me	disord	17.07
				order	82.93
			N.C.	disord	29.82
				order	70.18
			Pc	disord	20.63
				order	79.37
	Terrestrial	Mesophilic	Cp	disord	23.70
				order	76.30
			Isp	disord	24.40
				order	75.60
			Me	disord	16.73
				order	83.27
			N.C.	disord	35.33
				order	64.67
			Pc	disord	20.95
				order	79.05
		Thermophilic	Cp	disord	24.50
				order	75.50
			Isp	disord	26.88
				order	73.12
			Me	disord	16.88
				order	83.12
			N.C.	disord	29.85
				order	70.15
			Pc	disord	20.60
				order	79.40