

Superkingdom	Habitat	Temp range	Functional group	Type	% in proteins
Archaea	Aquatic	Hyperthermophilic	Cp	disord	10.02
				order	82.58
			Isp	disord	14.14
				order	77.46
			Me	disord	6.97
				order	85.49
			N.C.	disord	11.05
				order	80.42
			Pc	disord	8.01
				order	84.13
		Mesophilic	Cp	disord	20.62
				order	71.07
			Isp	disord	22.72
				order	68.30
			Me	disord	14.18
				order	77.54
			N.C.	disord	23.69
				order	67.02
			Pc	disord	16.85
				order	74.75
	Host-associated	Hyperthermophilic	Cp	disord	7.07
				order	85.95
			Isp	disord	11.63
				order	80.01
			Me	disord	5.90
				order	86.79
			N.C.	disord	9.61
				order	83.61
			Pc	disord	7.84
				order	85.02
		Mesophilic	Cp	disord	14.73
				order	77.38
			Isp	disord	18.40
				order	72.12
			Me	disord	11.07
				order	80.12
			N.C.	disord	20.94
				order	71.51
			Pc	disord	11.12
				order	80.56
	Multiple	Mesophilic	Cp	disord	15.30
				order	76.56
			Isp	disord	18.41
				order	73.11
			Me	disord	10.85
				order	81.13
			N.C.	disord	19.98
				order	70.64
			Pc	disord	15.58
				order	76.02
	Specialized	Hyperthermophilic	Cp	disord	10.38
				order	82.17
			Isp	disord	16.58
				order	74.75
			Me	disord	8.58
				order	83.75
			N.C.	disord	12.15
				order	79.73
			Pc	disord	10.57
				order	81.24
		Mesophilic	Cp	disord	31.03
				order	61.27
			Isp	disord	31.77
				order	59.35

Superkingdom	Habitat	Temp range	Functional group	Type	% in proteins
Archaea	Specialized	Mesophilic	Me	disord	21.71
				order	70.08
			N.C.	disord	31.95
				order	59.28
			Pc	disord	22.40
				order	69.11
		Thermophilic	Cp	disord	10.43
				order	81.43
			Isp	disord	14.68
				order	76.23
			Me	disord	7.93
				order	84.25
			N.C.	disord	10.72
				order	81.04
			Pc	disord	8.78
				order	82.93
Bacteria	Aquatic	Hyperthermophilic	Cp	disord	10.38
				order	82.13
			Isp	disord	11.45
				order	80.19
			Me	disord	5.96
				order	86.49
			N.C.	disord	14.08
				order	76.32
			Pc	disord	6.83
				order	85.43
		Mesophilic	Cp	disord	16.67
				order	75.76
			Isp	disord	18.89
				order	72.78
			Me	disord	10.15
				order	82.05
			N.C.	disord	23.81
				order	67.15
			Pc	disord	13.92
				order	78.00
		Psychrophilic	Cp	disord	12.31
				order	80.13
			Isp	disord	14.21
				order	77.72
			Me	disord	7.82
				order	83.85
			N.C.	disord	14.86
				order	75.57
			Pc	disord	8.02
				order	84.14
		Thermophilic	Cp	disord	13.37
				order	79.04
			Isp	disord	15.41
				order	76.36
			Me	disord	6.98
				order	85.50
			N.C.	disord	17.17
				order	74.20
			Pc	disord	9.21
				order	82.99
	Host-associated	Mesophilic	Cp	disord	16.07
				order	76.24
			Isp	disord	15.77
				order	75.72
			Me	disord	8.43
				order	83.90
			N.C.	disord	23.12
				order	68.19
			Pc	disord	12.99

Superkingdom	Habitat	Temp range	Functional group	Type	% in proteins
Bacteria	Host-associated	Mesophilic	Pc	order	79.01
	Multiple	Mesophilic	Cp	disord	17.63
				order	74.78
			Isp	disord	17.77
				order	73.94
			Me	disord	9.92
				order	82.49
			N.C.	disord	23.74
				order	67.62
			Pc	disord	14.06
				order	77.93
		Psychrophilic	Cp	disord	15.46
				order	76.59
			Isp	disord	13.89
				order	77.40
			Me	disord	7.69
				order	84.77
			N.C.	disord	15.17
				order	74.76
			Pc	disord	10.51
				order	81.28
		Thermophilic	Cp	disord	17.29
				order	74.93
			Isp	disord	19.00
				order	72.62
			Me	disord	10.83
				order	81.50
			N.C.	disord	27.10
				order	64.92
			Pc	disord	15.76
				order	76.44
	Specialized	Hyperthermophilic	Cp	disord	12.99
				order	79.19
			Isp	disord	16.97
				order	74.62
			Me	disord	8.08
				order	83.99
			N.C.	disord	14.90
				order	76.16
		Mesophilic	Pc	disord	9.90
				order	81.91
			Cp	disord	24.31
				order	68.28
			Isp	disord	23.68
				order	67.87
			Me	disord	15.16
				order	76.97
			N.C.	disord	29.89
				order	61.72
		Psychrophilic	Pc	disord	19.52
				order	72.63
			Cp	disord	14.52
				order	77.57
			Isp	disord	15.16
				order	76.38
			Me	disord	8.48
				order	83.68
			N.C.	disord	17.56
				order	72.72
		Thermophilic	Pc	disord	12.07
				order	79.74
			Cp	disord	16.77
				order	75.92
			Isp	disord	21.54
				order	70.57

Superkingdom	Habitat	Temp range	Functional group	Type	% in proteins
Bacteria	Specialized	Thermophilic	Me	disord	10.57
				order	81.84
			N.C.	disord	22.79
				order	68.83
			Pc	disord	13.78
				order	78.05
	Terrestrial	Mesophilic	Cp	disord	17.40
				order	75.10
			Isp	disord	17.36
				order	74.26
			Me	disord	10.18
				order	82.28
			N.C.	disord	28.38
				order	63.25
			Pc	disord	14.07
				order	77.89
		Thermophilic	Cp	disord	18.67
				order	74.45
			Isp	disord	20.93
				order	71.85
			Me	disord	10.74
				order	82.23
			N.C.	disord	23.59
				order	68.95
			Pc	disord	14.40
				order	78.48