

Superkingdom	Oxygenreq	Temp range	Functional group	Type	% in proteins
Archaea	Aerobic	Hyperthermophilic	Cp	disord	14.47
				order	85.53
			Isp	disord	21.01
				order	78.99
			Me	disord	13.57
				order	86.43
			N.C.	disord	17.87
				order	82.13
			Pc	disord	15.25
				order	84.75
		Mesophilic	Cp	disord	35.60
				order	64.40
			Isp	disord	40.10
				order	59.90
			Me	disord	28.92
				order	71.08
			N.C.	disord	40.12
				order	59.88
			Pc	disord	30.33
				order	69.67
		Thermophilic	Cp	disord	15.49
				order	84.51
			Isp	disord	20.43
				order	79.57
			Me	disord	13.42
				order	86.58
			N.C.	disord	16.10
				order	83.90
			Pc	disord	14.26
				order	85.74
	Anaerobic	Hyperthermophilic	Cp	disord	18.10
				order	81.90
			Isp	disord	23.60
				order	76.40
			Me	disord	15.33
				order	84.67
			N.C.	disord	20.30
				order	79.70
			Pc	disord	16.90
				order	83.10
		Mesophilic	Cp	disord	22.35
				order	77.65
			Isp	disord	25.62
				order	74.38
			Me	disord	17.61
				order	82.39
			N.C.	disord	27.19
				order	72.81
			Pc	disord	21.69
				order	78.31
		Thermophilic	Cp	disord	20.41
				order	79.59
			Isp	disord	26.58
				order	73.42
			Me	disord	18.34
				order	81.66
			N.C.	disord	24.77
				order	75.23
			Pc	disord	19.41
				order	80.59
	Facultative	Hyperthermophilic	Cp	disord	11.98
				order	88.02
			Isp	disord	17.05
				order	82.95
			Me	disord	11.62

Superkingdom	Oxygenreq	Temp range	Functional group	Type	% in proteins
Archaea	Facultative	Hyperthermophilic	Me	order	88.38
			N.C.	disord	15.98
				order	84.02
			Pc	disord	12.87
				order	87.13
		Mesophilic	Cp	disord	37.17
				order	62.83
			Isp	disord	38.42
				order	61.58
			Me	disord	28.17
				order	71.83
			N.C.	disord	39.05
				order	60.95
			Pc	disord	28.97
				order	71.03
		Thermophilic	Cp	disord	17.45
				order	82.55
			Isp	disord	22.25
				order	77.75
			Me	disord	14.77
				order	85.23
			N.C.	disord	17.34
				order	82.66
			Pc	disord	15.44
				order	84.56
Bacteria	Aerobic	Hyperthermophilic	Cp	disord	19.93
				order	80.07
			Isp	disord	25.63
				order	74.37
			Me	disord	16.36
				order	83.64
			N.C.	disord	23.03
				order	76.97
		Mesophilic	Pc	disord	18.40
				order	81.60
			Cp	disord	24.76
				order	75.24
			Isp	disord	25.64
				order	74.36
			Me	disord	17.18
				order	82.82
			N.C.	disord	33.90
				order	66.10
		Psychrophilic	Pc	disord	21.67
				order	78.33
			Cp	disord	18.84
				order	81.16
			Isp	disord	21.22
				order	78.78
			Me	disord	14.98
				order	85.02
			N.C.	disord	22.98
				order	77.02
		Thermophilic	Pc	disord	14.97
				order	85.03
			Cp	disord	24.56
				order	75.44
			Isp	disord	28.15
				order	71.85
			Me	disord	18.03
				order	81.97
			N.C.	disord	33.05
				order	66.95
			Pc	disord	22.03
				order	77.97

Superkingdom	Oxygenreq	Temp range	Functional group	Type	% in proteins
Bacteria	Anaerobic	Hyperthermophilic	Cp	disord	18.69
				order	81.31
			Isp	disord	21.85
				order	78.15
			Me	disord	13.88
				order	86.12
			N.C.	disord	22.42
				order	77.58
			Pc	disord	15.71
				order	84.29
		Mesophilic	Cp	disord	20.80
				order	79.20
			Isp	disord	22.85
				order	77.15
			Me	disord	15.46
				order	84.54
			N.C.	disord	25.53
				order	74.47
			Pc	disord	18.88
				order	81.12
		Psychrophilic	Cp	disord	20.42
				order	79.58
			Isp	disord	21.16
				order	78.84
			Me	disord	13.25
				order	86.75
			N.C.	disord	26.31
				order	73.69
			Pc	disord	19.47
				order	80.53
		Thermophilic	Cp	disord	20.23
				order	79.77
			Isp	disord	22.97
				order	77.03
			Me	disord	14.62
				order	85.38
			N.C.	disord	26.36
				order	73.64
			Pc	disord	18.25
				order	81.75
	Facultative	Mesophilic	Cp	disord	22.83
				order	77.17
			Isp	disord	22.87
				order	77.13
			Me	disord	15.12
				order	84.88
			N.C.	disord	29.52
				order	70.48
			Pc	disord	19.84
				order	80.16
		Psychrophilic	Cp	disord	21.27
				order	78.73
			Isp	disord	21.49
				order	78.51
			Me	disord	15.30
				order	84.70
			N.C.	disord	24.06
				order	75.94
			Pc	disord	17.77
				order	82.23
	Microaerophilic	Mesophilic	Cp	disord	22.69
				order	77.31
			Isp	disord	23.76
				order	76.24
			Me	disord	15.88

Superkingdom	Oxygenreq	Temp range	Functional group	Type	% in proteins
Bacteria	Microaerophilic	Mesophilic	Me	order	84.12
			N.C.	disord	30.31
				order	69.69
			Pc	disord	20.16
		Thermophilic		order	79.84
			Cp	disord	24.50
				order	75.50
			Isp	disord	26.88
				order	73.12
			Me	disord	16.88
				order	83.12
			N.C.	disord	29.85
				order	70.15
			Pc	disord	20.60
				order	79.40