

Superkingdom	Temp range	Gc Content	Functional group	Type	% in proteins
Archaea	Hyperthermophilic	Low	Cp	disord	15.20
				order	84.80
			Isp	disord	20.19
				order	79.81
			Me	disord	13.61
				order	86.39
			N.C.	disord	17.61
				order	82.39
			Pc	disord	14.47
				order	85.53
		Medium	Cp	disord	16.17
				order	83.83
			Isp	disord	21.18
				order	78.82
			Me	disord	13.26
				order	86.74
			N.C.	disord	18.24
				order	81.76
			Pc	disord	14.86
				order	85.14
		High	Cp	disord	21.14
				order	78.86
			Isp	disord	30.44
				order	69.56
			Me	disord	20.92
				order	79.08
			N.C.	disord	23.20
				order	76.80
			Pc	disord	24.21
				order	75.79
	Mesophilic	Low	Cp	disord	21.70
				order	78.30
			Isp	disord	25.82
				order	74.18
			Me	disord	17.34
				order	82.66
			N.C.	disord	25.33
				order	74.67
			Pc	disord	18.36
				order	81.64
		Medium	Cp	disord	22.49
				order	77.51
			Isp	disord	25.55
				order	74.45
			Me	disord	17.69
				order	82.31
			N.C.	disord	27.69
				order	72.31
			Pc	disord	22.49
				order	77.51
		High	Cp	disord	36.19
				order	63.81
			Isp	disord	39.32
				order	60.68
			Me	disord	28.61
				order	71.39
			N.C.	disord	39.76
				order	60.24
			Pc	disord	29.79
				order	70.21
	Thermophilic	Medium	Cp	disord	17.43
				order	82.57
			Isp	disord	22.38
				order	77.62
			Me	disord	14.82

Superkingdom	Temp range	Gc Content	Functional group	Type	% in proteins
Archaea	Thermophilic	Medium	Me	order	85.18
			N.C.	disord	17.95
				order	82.05
			Pc	disord	15.98
				order	84.02
Bacteria	Hyperthermophilic	Medium	Cp	disord	18.97
				order	81.03
			Isp	disord	22.59
				order	77.41
			Me	disord	14.35
				order	85.65
			N.C.	disord	22.51
				order	77.49
			Pc	disord	16.16
				order	83.84
	Mesophilic	Low	Cp	disord	23.95
				order	76.05
			Isp	disord	22.56
				order	77.44
			Me	disord	15.99
				order	84.01
			N.C.	disord	31.37
				order	68.63
			Pc	disord	19.85
				order	80.15
		Medium	Cp	disord	21.85
				order	78.15
			Isp	disord	22.76
				order	77.24
			Me	disord	15.03
				order	84.97
			N.C.	disord	27.88
				order	72.12
			Pc	disord	19.29
				order	80.71
		High	Cp	disord	25.79
				order	74.21
			Isp	disord	27.11
				order	72.89
			Me	disord	17.80
				order	82.20
			N.C.	disord	36.79
				order	63.21
			Pc	disord	22.86
				order	77.14
	Psychrophilic	Medium	Cp	disord	21.37
				order	78.63
			Isp	disord	22.06
				order	77.94
			Me	disord	15.10
				order	84.90
			N.C.	disord	25.32
				order	74.68
			Pc	disord	18.60
				order	81.40
	Thermophilic	Medium	Cp	disord	20.17
				order	79.83
			Isp	disord	22.87
				order	77.13
			Me	disord	14.14
				order	85.86
			N.C.	disord	26.44
				order	73.56

Superkingdom	Temp range	Gc Content	Functional group	Type	% in proteins
Bacteria	Thermophilic	Medium	Pc	disord	17.44
				order	82.56
		High	Cp	disord	25.46
				order	74.54
			Isp	disord	29.28
				order	70.72
			Me	disord	18.68
				order	81.32
			N.C.	disord	33.31
				order	66.69
			Pc	disord	23.08
				order	76.92