

Superkingdom	Temp range	Gc Content	Functional group	Type	% in proteins
Archaea	Hyperthermophilic	Low	Cp	disord	8.58
				order	83.87
			Isp	disord	12.94
				order	78.61
			Me	disord	6.99
				order	85.52
			N.C.	disord	10.60
				order	81.59
			Pc	disord	7.47
				order	84.67
		Medium	Cp	disord	9.70
				order	82.95
			Isp	disord	13.89
				order	77.53
			Me	disord	6.58
				order	85.87
			N.C.	disord	10.72
				order	80.78
			Pc	disord	7.85
				order	84.20
		High	Cp	disord	14.81
				order	77.65
			Isp	disord	23.83
				order	67.77
			Me	disord	14.10
				order	77.87
			N.C.	disord	16.45
				order	75.61
			Pc	disord	17.29
				order	74.31
	Mesophilic	Low	Cp	disord	14.79
				order	76.95
			Isp	disord	18.23
				order	72.44
			Me	disord	10.01
				order	81.42
			N.C.	disord	18.56
				order	73.24
			Pc	disord	11.13
				order	80.39
		Medium	Cp	disord	15.67
				order	76.19
			Isp	disord	18.25
				order	73.06
			Me	disord	10.69
				order	81.25
			N.C.	disord	19.72
				order	70.83
			Pc	disord	15.42
				order	76.14
		High	Cp	disord	29.86
				order	61.98
			Isp	disord	32.72
				order	58.45
			Me	disord	22.11
				order	69.56
			N.C.	disord	32.74
				order	58.44
			Pc	disord	23.32
				order	68.43
	Thermophilic	Medium	Cp	disord	10.43
				order	81.43
			Isp	disord	14.68
				order	76.23
			Me	disord	7.93

Superkingdom	Temp range	Gc Content	Functional group	Type	% in proteins
Archaea	Thermophilic	Medium	Me	order	84.25
			N.C.	disord	10.72
				order	81.04
			Pc	disord	8.78
				order	82.93
Bacteria	Hyperthermophilic	Medium	Cp	disord	12.32
				order	79.94
			Isp	disord	15.54
				order	76.06
			Me	disord	7.47
				order	84.71
			N.C.	disord	14.63
				order	76.21
			Pc	disord	9.02
				order	82.92
	Mesophilic	Low	Cp	disord	17.33
				order	74.76
			Isp	disord	15.36
				order	76.05
			Me	disord	8.85
				order	82.93
			N.C.	disord	24.42
				order	67.12
			Pc	disord	12.72
				order	78.96
		Medium	Cp	disord	15.20
				order	76.93
			Isp	disord	15.48
				order	75.84
			Me	disord	8.15
				order	84.01
			N.C.	disord	20.02
				order	70.65
			Pc	disord	12.22
				order	79.58
		High	Cp	disord	19.94
				order	72.96
			Isp	disord	20.71
				order	71.51
			Me	disord	11.63
				order	81.20
			N.C.	disord	30.61
				order	61.78
			Pc	disord	16.45
				order	75.95
	Psychrophilic	Medium	Cp	disord	14.67
				order	77.42
			Isp	disord	14.79
				order	76.69
			Me	disord	8.25
				order	83.96
			N.C.	disord	16.94
				order	73.27
			Pc	disord	11.50
				order	80.32
	Thermophilic	Medium	Cp	disord	13.57
				order	78.77
			Isp	disord	15.75
				order	75.78
			Me	disord	7.24
				order	84.96
			N.C.	disord	18.65
				order	72.35

Superkingdom	Temp range	Gc Content	Functional group	Type	% in proteins
Bacteria	Thermophilic	Medium	Pc	disord	10.42
				order	81.51
		High	Cp	disord	19.49
				order	73.20
			Isp	disord	23.16
				order	69.23
			Me	disord	12.47
				order	80.24
			N.C.	disord	27.17
				order	65.36
			Pc	disord	16.73
				order	75.67