

Superkingdom	Temp range	Gc Content	Functional group	Type	% in proteins
Archaea	Hyperthermophilic	Low	Cp	disord	2.86
				order	72.12
			Isp	disord	4.83
				order	62.71
			Me	disord	1.29
				order	73.86
			N.C.	disord	4.91
				order	69.75
			Pc	disord	1.81
				order	72.93
		Medium	Cp	disord	4.07
				order	71.13
			Isp	disord	5.03
				order	62.61
			Me	disord	1.17
				order	74.39
			N.C.	disord	4.48
				order	67.55
			Pc	disord	2.21
				order	72.17
		High	Cp	disord	6.27
				order	64.67
			Isp	disord	12.36
				order	52.08
			Me	disord	5.69
				order	63.66
			N.C.	disord	7.79
				order	61.09
			Pc	disord	7.43
				order	59.40
	Mesophilic	Low	Cp	disord	7.13
				order	61.07
			Isp	disord	7.32
				order	54.14
			Me	disord	2.52
				order	66.41
			N.C.	disord	10.33
				order	58.82
			Pc	disord	3.10
				order	66.20
		Medium	Cp	disord	6.75
				order	59.35
			Isp	disord	8.92
				order	55.65
			Me	disord	3.29
				order	66.81
			N.C.	disord	9.81
				order	51.65
			Pc	disord	6.63
				order	59.37
		High	Cp	disord	18.12
				order	43.89
			Isp	disord	18.88
				order	38.37
			Me	disord	10.33
				order	53.15
			N.C.	disord	20.85
				order	40.76
			Pc	disord	11.81
				order	53.11
	Thermophilic	Medium	Cp	disord	3.65
				order	68.07
			Isp	disord	5.38
				order	59.63
			Me	disord	1.48

Superkingdom	Temp range	Gc Content	Functional group	Type	% in proteins
Archaea	Thermophilic	Medium	Me	order	71.27
			N.C.	disord	4.17
				order	68.32
			Pc	disord	2.19
				order	69.59
Bacteria	Hyperthermophilic	Medium			
			Cp	disord	5.59
				order	66.41
			Isp	disord	6.24
				order	60.04
			Me	disord	1.67
				order	72.36
			N.C.	disord	6.19
				order	59.82
			Pc	disord	2.72
				order	69.93
	Mesophilic	Low	Cp	disord	9.78
				order	59.56
			Isp	disord	6.53
				order	60.28
			Me	disord	2.38
				order	68.88
			N.C.	disord	15.42
				order	49.69
			Pc	disord	5.85
				order	64.45
		Medium	Cp	disord	7.48
				order	61.82
			Isp	disord	6.29
				order	60.23
			Me	disord	1.81
				order	71.19
			N.C.	disord	10.57
				order	52.09
			Pc	disord	4.99
				order	65.30
		High	Cp	disord	11.16
				order	59.41
			Isp	disord	10.25
				order	57.10
			Me	disord	3.94
				order	69.38
			N.C.	disord	20.46
				order	46.47
			Pc	disord	7.84
				order	62.89
	Psychrophilic	Medium	Cp	disord	7.00
				order	62.28
			Isp	disord	5.91
				order	60.30
			Me	disord	1.78
				order	70.65
			N.C.	disord	7.95
				order	53.03
			Pc	disord	4.08
				order	65.69
	Thermophilic	Medium	Cp	disord	6.42
				order	65.32
			Isp	disord	6.69
				order	60.22
			Me	disord	1.57
				order	73.11
			N.C.	disord	9.50
				order	55.71

Superkingdom	Temp range	Gc Content	Functional group	Type	% in proteins
Bacteria	Thermophilic	Medium	Pc	disord	4.21
				order	68.95
		High	Cp	disord	10.71
				order	59.87
			Isp	disord	12.75
				order	55.04
			Me	disord	4.70
				order	68.62
			N.C.	disord	17.31
				order	50.54
			Pc	disord	8.03
				order	62.25